
1. Identification

Product identifier EarthStone Bath Stone & EarthStone Toilet Stone
Other means of identification Not available.
Recommended use Cleaner
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Iron Out dba Summit Brands
Address 6714 Pointe Inverness Way, Suite 200
 Fort Wayne, IN 46804-7935
 United States
Telephone 260-483-2519
E-mail Not available.

Emergency phone number 1-800-424-9300 (CHEMTREC)

Supplier See above.

2. Hazard identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

WHMIS 2015 defined hazards Not classified

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) None known

WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) None known

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information The components listed below are inextricably bound and not biologically available.

US:

As per Appendix A to OSHA 1910.1200 - Health Hazard Criteria, the effect of a chemical on biological systems is influenced, by the physico-chemical properties of the substance and/or ingredients of the mixture and the way in which ingredient substances are biologically available. A chemical need not be classified when it can be shown by conclusive experimental data from scientifically validated test methods that the chemical is not biologically available.

CANADA:

As per section 2.9 of the Hazardous Products Regulations, if it can be shown by conclusive experimental data from scientifically validated methods that the mixture, material or substance is not biologically available, it need not be classified in any health hazard.

3. Composition/Information on ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Glass, oxide, chemicals		65997-17-3	80-100
Limestone		1317-65-3	0.1-1
Olivine, Cobalt Silicate Blue		68187-40-6	0.1-1

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments	US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.
	CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Not a normal route of harmful exposure. If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Symptoms may be delayed. Treat patient symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Pick up and discard.
Environmental precautions	Do not contaminate water.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.
Conditions for safe storage, including any incompatibilities	Keep out of reach of children.

8. Exposure controls/Personal protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Glass, oxide, chemicals (CAS 65997-17-3)	TWA	1 fibers/cm3	Fiber.
		5 mg/m3	Fiber, total
		5 mg/m3	Total particulate.
Limestone (CAS 1317-65-3)	TWA	10 mg/m3	
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Glass, oxide, chemicals (CAS 65997-17-3)	TWA	1 fibers/cm3	Fiber.
		5 mg/m3	Inhalable fibers.
Limestone (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
		3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	Total

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Glass, oxide, chemicals (CAS 65997-17-3)	TWA	5 mg/m3	Inhalable fraction.
		0.02 mg/m3	Inhalable fraction.
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	Inhalable fraction.

Canada. New Brunswick Regulation 91-191, as amended

Components	Type	Value	Form
Limestone (CAS 1317-65-3)	TWA	3 mg/m3	Respirable.
		10 mg/m3	Inhalable
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Type	Value	Form
Limestone (CAS 1317-65-3)	TWA	10 mg/m3	Total dust.
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 2020. S-15.1 Reg. 10. Table 18)

Components	Type	Value	Form
Glass, oxide, chemicals (CAS 65997-17-3)	15 minute	3 mg/m3	Respirable fibers.
		10 mg/m3	Inhalable fraction.
Limestone (CAS 1317-65-3)	15 minute	20 mg/m3	
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	15 minute	0.06 mg/m3	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Limestone (CAS 1317-65-3)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 Mppcf	Total dust.
		15 Mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	TWA	0.02 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Glass, oxide, chemicals (CAS 65997-17-3)	TWA	5 mg/m3	fibers, total dust
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	15 µg/l	Cobalt	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

The components listed above are inextricably bound and not biologically available.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Not normally required when used as directed.

Skin protection**Hand protection**

Not normally required when used as directed. Protective gloves are recommended for prolonged or repeated exposure.

Other

Wear appropriate chemical resistant clothing. As required by employer code.

Respiratory protection

Not normally required if good ventilation is maintained. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

9. Physical and chemical properties

Appearance	Solid.
Physical state	Solid.
Form	Solid. Blocks
Colour	Light blue
Odour	Odourless
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Specific gravity	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit – upper (%)	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Pour point	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Strong oxidising agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological information

Routes of exposure	Eye, Skin contact, Inhalation, Ingestion.
Information on likely routes of exposure	
Ingestion	May cause stomach distress, nausea or vomiting.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Prolonged or repeated contact may dry skin and cause irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components	Species	Test Results
-------------------	----------------	---------------------

Glass, oxide, chemicals (CAS 65997-17-3)

Acute*Dermal*

LD50 Not available

Inhalation

LC50 Not available

Oral

LD50 Rat > 5000 mg/kg, ECHA
> 2000 mg/kg, ECHA

Components	Species	Test Results
Limestone (CAS 1317-65-3)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	6450 mg/kg, RTECS
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)		
Acute		
<i>Dermal</i>		
LD50	Not available	
<i>Inhalation</i>		
LC50	Rat	> 5.3 mg/L, 4 Hours, ECHA
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg, ECHA
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	
Conjunctival oedema value	Not available.	
Recover days	Not available.	
Respiratory or skin sensitisation		
ACGIH sensitisation		
Cobalt and inorganic compounds, inhalable fraction, as Co (CAS 68187-40-6)	Dermal sensitisation	
	Respiratory sensitisation	
Canada - Alberta OELs: Irritant		
Glass, oxide, chemicals (CAS 65997-17-3)	Irritant	
Limestone (CAS 1317-65-3)	Irritant	
Canada - Manitoba OELs Hazard: Dermal sensitization		
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	Dermal sensitisation	
Canada - Manitoba OELs Hazard: Respiratory sensitization		
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	Respiratory sensitisation	
Respiratory sensitisation	Not a respiratory sensitizer.	
Skin sensitisation	This product is not expected to cause skin sensitisation.	
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	The components listed below are inextricably bound and not biologically available.	
As per section 2.9 of the Hazardous Products Regulations, if it can be shown by conclusive experimental data from scientifically validated methods that the mixture, material or substance is not biologically available, it need not be classified in any health hazard.		
As per Appendix A to OSHA 1910.1200 - Health Hazard Criteria, the effect of a chemical on biological systems is influenced, by the physico-chemical properties of the substance and/or ingredients of the mixture and the way in which ingredient substances are biologically available. A chemical need not be classified when it can be shown by conclusive experimental data from scientifically validated test methods that the chemical is not biologically available.		
ACGIH Carcinogens		
Glass, oxide, chemicals (CAS 65997-17-3)	A2 Suspected human carcinogen.	
Olivine, Cobalt Silicate Blue (CAS 68187-40-6)	A3 Confirmed animal carcinogen with unknown relevance to humans.	

Canada - Manitoba OELs: carcinogenicity

Glass, oxide, chemicals (CAS 65997-17-3)
 Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

Suspected human carcinogen.
 Confirmed animal carcinogen with unknown relevance to humans.

Canada - Quebec OELs: Carcinogen category

Glass, oxide, chemicals (CAS 65997-17-3)
 Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

Detected carcinogenic effect in animals.
 Detected carcinogenic effect in animals.

IARC Monographs. Overall Evaluation of Carcinogenicity

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

Volume 52 - 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

US NTP Report on Carcinogens: Anticipated carcinogen

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not available.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not applicable.

12. Ecological information

Ecotoxicity	Not available.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	Not available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

Transport of Dangerous Goods (TDG) Proof of Classification Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Limestone (CAS 1317-65-3) Listed.

Canada Priority Substances List (Second List): Listed substance

Limestone (CAS 1317-65-3) Listed.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US Federal regulations**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Olivine, Cobalt Silicate Blue (CAS 68187-40-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Carcinogenicity

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

US state regulations See below

US - California Hazardous Substances (Director's): Listed substance

Glass, oxide, chemicals (CAS 65997-17-3) Listed.

Olivine, Cobalt Silicate Blue (CAS 68187-40-6) Listed.

US - Illinois Chemical Safety Act: Listed substance

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

US - Louisiana Spill Reporting: Listed substance

Olivine, Cobalt Silicate Blue (CAS 68187-40-6) Listed.

US - Minnesota Haz Subs: Listed substance

Glass, oxide, chemicals (CAS 65997-17-3) Listed.

Limestone (CAS 1317-65-3) Listed.

Olivine, Cobalt Silicate Blue (CAS 68187-40-6) Listed.

US - Texas Effects Screening Levels: Listed substance

Glass, oxide, chemicals (CAS 65997-17-3) Listed.

Limestone (CAS 1317-65-3) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

US. Massachusetts RTK - Substance List

Glass, oxide, chemicals (CAS 65997-17-3)

Limestone (CAS 1317-65-3)

US. New Jersey Worker and Community Right-to-Know Act

Glass, oxide, chemicals (CAS 65997-17-3)

Limestone (CAS 1317-65-3)

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Glass, oxide, chemicals (CAS 65997-17-3)

Limestone (CAS 1317-65-3)

Olivine, Cobalt Silicate Blue (CAS 68187-40-6)

US. Rhode Island RTK

Glass, oxide, chemicals (CAS 65997-17-3)

Limestone (CAS 1317-65-3)

US. California Proposition 65

This product is not subject to warning labeling under the California Proposition 65 regulation.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

25-October-2023

Version No.

03

Effective date

25-October-2023

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Further information

Not available.

Other information

Redbook revision # 1, 9/1/20