



OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Product name : OUT Pro Wash
Synonyms : Odor Eliminator Detergent

1.2. Recommended use and restrictions on use

Recommended use : Active Wear Detergent

1.3. Supplier

Iron Out dba Summit Brands
6714 Pointe Inverness Way, Suite 200
Fort Wayne, IN 46804-7935
US

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA/US)

Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 1	Causes serious eye damage
Not classified	

2.2. GHS Label elements, including precautionary statements

GHS CA/US labeling

Hazard pictograms (GHS CA/US)



Signal word (GHS CA/US)

: Danger

Hazard statements (GHS CA/US)

: Causes skin irritation
Causes serious eye damage

Precautionary statements (GHS CA/US)

: Wash hands, forearms and face thoroughly after handling.
Wear eye protection, protective gloves.
IF ON SKIN: Wash with plenty of water.
If skin irritation occurs: Get medical advice or attention.
Specific treatment (see supplemental first aid instruction on this label).
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor.
Store away from incompatible materials (see Section 10 of the SDS).
Dispose of container in accordance with local, regional, national and international regulations.

2.3. Other hazards

No additional information available

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

2.4. Unknown acute toxicity (GHS CA/US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Alcohols, C9-11, ethoxylated	CAS-No.: 68439-46-3	1 - 5
Hydrogen peroxide	CAS-No.: 7722-84-1	1 - 5
Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt	CAS-No.: 65143-89-7	5 - 10
Alcohols, C12-13, ethoxylated	CAS-No.: 66455-14-9	1 - 5
Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy-	CAS-No.: 34398-01-1	1 - 5
Citric acid	CAS-No.: 77-92-9	1 - 5

Comments

: All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash skin with plenty of water. Obtain medical attention if irritation persists. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Obtain medical attention if irritation persists.

First-aid measures after ingestion

: Do not induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.

First-aid measures general

: If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation

: Prolonged inhalation may be harmful.

Symptoms/effects after skin contact

: Prolonged or repeated contact may dry skin and cause irritation. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms/effects after eye contact

: Serious damage to eyes. Direct contact with eyes may cause temporary irritation.

Symptoms/effects after ingestion

: May cause stomach distress, nausea or vomiting.

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Symptoms may be delayed. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Treat for surrounding material.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.3. Specific hazards arising from the hazardous product

Fire hazard : During fire, gases hazardous to health may be formed. In case of fire or explosion do not breathe fumes.

Explosion hazard : No direct explosion hazard.

Hazardous decomposition products in case of fire : May include and are not limited to: oxides of carbon.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. In the event of a significant spillage : Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean contaminated surfaces with an excess of water. Minimize generation of dust.

Other information : This material and its container must be disposed of in a safe way, and as per local legislation.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not taste or swallow. Ensure good ventilation of the work station. Handle and open container with care.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrogen peroxide (7722-84-1)	
Canada (Alberta) - Occupational Exposure Limits	
OEL TWA	1.4 mg/m ³ 1 ppm
Notations and remarks	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required.
Regulatory reference	Alberta Regulation 191/2021
Canada (Quebec) - Occupational Exposure Limits	
VEMP (OEL TWAEV)	1 ppm
Notations and remarks	C3
Regulatory reference	S-2.1, r. 13 - Regulation respecting occupational health and safety
Canada (British Columbia) - Occupational Exposure Limits	
OEL TWA	1 ppm
Regulatory reference	OHS Guidelines Part 5: Chemical Agents and Biological Agents (WorkSafe BC)
Canada (Manitoba) - Occupational Exposure Limits	
OEL TWA	1 ppm
Notations and remarks	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (New Brunswick) - Occupational Exposure Limits	
OEL TWA	1 ppm
Notations and remarks	Eye, URT, & skin irr
Canada (Newfoundland and Labrador) - Occupational Exposure Limits	
OEL TWA	1 ppm
Notations and remarks	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Nova Scotia) - Occupational Exposure Limits	
OEL TWA	1 ppm
Notations and remarks	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Nunavut) - Occupational Exposure Limits	
OEL TWA	1 ppm
OEL STEL	2 ppm
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

Hydrogen peroxide (7722-84-1)	
Canada (Northwest Territories) - Occupational Exposure Limits	
OEL TWA	1 ppm
OEL STEL	2 ppm
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-013-2020)
Canada (Ontario) - Occupational Exposure Limits	
OEL TWAEV	1 ppm
Regulatory reference	Ontario Occuational Exposure Limits under Regulation 833
Canada (Prince Edward Island) - Occupational Exposure Limits	
OEL TWA	1 ppm
Notations and remarks	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
Canada (Saskatchewan) - Occupational Exposure Limits	
OEL TWA	1 ppm
OEL STEL	2 ppm
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
Canada (Yukon) - Occupational Exposure Limits	
OEL TWA	1.5 mg/m³
	1 ppm
OEL STEL	2.8 mg/m³
	2 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 ppm
Remark (ACGIH)	TLV® Basis: Eye, URT, & skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	1.4 mg/m³
	1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
IDLH	75 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	1.4 mg/m³
	1 ppm

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

8.2. Appropriate engineering controls

Appropriate engineering controls	: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear protective gloves. Confirm with a reputable supplier first. Wear suitable gloves resistant to chemical penetration

Eye protection:

Wear eye protection

Skin and body protection:

Wear suitable protective clothing. As required by employer code.

Respiratory protection:

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Color	: Blue
Odor	: Mountain air
Odor threshold	: No data available
pH	: 3.5 – 4
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1.028
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidising.
Explosion limits	: No data available

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat and direct sunlight. Do not mix with other chemicals.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: May include and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Hydrogen peroxide (7722-84-1)	
LD50 oral rat	1518 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	9200 mg/kg (Source: EU_RAR)
LC50 Inhalation - Rat	2000 mg/m³ (Exposure time: 4 h Source: EU_RAR)
ATE CA (oral)	1518 mg/kg body weight
ATE CA (Dermal)	9200 mg/kg body weight
ATE CA (vapors)	2 mg/l/4h
ATE CA (dust,mist)	2 mg/l/4h

Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt (65143-89-7)	
LD50 oral rat	> 5000 mg/kg (Source: CHEMVIEW)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)

Alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 oral rat	1400 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 1.6 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat [ppm]	
LC50 Inhalation - Rat (Vapours)	> 1.6 (≥) mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CA (oral)	1400 mg/kg body weight
ATE CA (vapors)	11 mg/l/4h

Alcohols, C12-13, ethoxylated (66455-14-9)	
LD50 oral rat	> 10 g/kg (Source: NLM_CIP)

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

Alcohols, C12-13, ethoxylated (66455-14-9)	
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	3300 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CA (Dermal)	3300 mg/kg body weight

Poly(oxy-1,2-ethanediyl), .alpha.-undecyl-.omega.-hydroxy- (34398-01-1)	
ATE CA (oral)	500 mg/kg body weight

Citric acid (77-92-9)	
LD50 oral rat	3 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: EU_CLH)

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.

Citric acid (77-92-9)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified.

Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt (65143-89-7)	
NOAEL (oral,rat,90 days)	25 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Alcohols, C9-11, ethoxylated (68439-46-3)	
NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

Alcohols, C12-13, ethoxylated (66455-14-9)

NOAEL (oral,rat,90 days)	≥ 500 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eye contact. Ingestion. Inhalation.
Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Prolonged or repeated contact may dry skin and cause irritation. Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: Serious damage to eyes. Direct contact with eyes may cause temporary irritation.
Symptoms/effects after ingestion	: May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: See below for route-specific details.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Hydrogen peroxide (7722-84-1)

LC50 - Fish [1]	16.4 mg/l (Exposure time: 96 h - Species: Pimephales promelas Source: IUCLID)
LC50 - Fish [2]	18 – 56 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	18 – 32 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Benzenesulfonic acid, hexadecyl(sulfophenoxy)-, disodium salt (65143-89-7)

LC50 - Fish [1]	0.42 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	13.9 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	0.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Alcohols, C9-11, ethoxylated (68439-46-3)

LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	1.4 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Alcohols, C12-13, ethoxylated (66455-14-9)

LC50 - Fish [1]	0.96 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.46 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	0.22 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)

Citric acid (77-92-9)

LC50 - Fish [1]	1516 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus Source: OECD_SIDS)
-----------------	--

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Hydrogen peroxide (7722-84-1)	
BCF - Fish [1]	(no bioaccumulation)

Citric acid (77-92-9)	
Partition coefficient n-octanol/water (Log Pow)	-1.72 (at 20 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of the material collected according to regulations.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

SECTION 14: Transport information

General information: TDG: Marine Pollutants Exemption. 1.45.1. : Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, do not apply to substances that are classified as marine pollutants in accordance with section 2.43 of Part 2, Classification, if they are in transport solely on land by road vehicle or railway vehicle. However, substances may be identified as marine pollutants on a shipping document and the required dangerous goods safety marks may be displayed when they are in transport by road or railway vehicle. (SOR/2008-34, s. 23);
DOT: CFR 171.4: (1) Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft. (2) Single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other requirements of this subchapter provided the packagings meet the general requirements in §§173.24 and 173.24a. This exception does not apply to marine pollutants that are a hazardous waste or a hazardous substance. In the case of marine pollutants also meeting the criteria for inclusion in another hazard class, all provisions of this subchapter relevant to any additional hazards continue to apply.

TDG	DOT
14.1. UN number	
Not regulated	Not regulated
14.2. Proper Shipping Name	
Not regulated	Not regulated
14.3. Transport hazard class(es)	
Not regulated	Not regulated
14.4. Packing group	
Not regulated	Not regulated

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

TDG	DOT
14.5. Environmental hazards	
Not regulated	Not regulated
No supplementary information available	

14.6. Special precautions for user

TDG
Not regulated

DOT
Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are present on DSL, except for:

Acetaldehyde (75-07-0)

Toxic Substance (CEPA – Schedule I)	Yes
-------------------------------------	-----

Ethylene oxide (75-21-8)


Toxic Substance (CEPA – Schedule I)	Yes
-------------------------------------	-----

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

D15045 Chromatint Blue 1418	CAS-No. Proprietary	< 0.1%
-----------------------------	---------------------	--------

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	CAS-No. 1222-05-5	< 0.1%
---	-------------------	--------

 WARNING:	This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov .
---	--

SECTION 16: Other information

Issue date : 08/30/2024
Revision date : 08/30/2024

Other information : For an updated SDS, please contact the supplier or manufacturer listed on the first page of the document. Redbook revision #4, 12/4/16.

OUT Pro Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 8/30/2024 Revision date: 8/30/2024 Version: 07.0

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.